

## *Safety Data Sheet*

### **1. IDENTIFICATION**

**Product Name:** EZTest® Test Pack



**Product Type or Synonym:** Biological Indicator

**Product Description:** biological indicator device for monitoring sterilization efficacy of sterilization processes, including steam, and ethylene oxide. Device consists of a sealed plastic tube containing a paper strip inoculated with non-pathogenic test organisms and a crushable “onion skin” sealed glass ampoule of non-hazardous growth medium.

Note: device contains no hazardous ingredients or pathogenic microorganisms.

**Manufactured by:** Mesa Laboratories, Inc.  
10 Evergreen Drive  
Bozeman, MT 59715 USA  
(303) 987-8000

**Emergency Phone:** (303) 987-8000

### **2. HAZARDS IDENTIFICATION**

The device contains glass and liquid which, upon accident, may enter the skin or eye causing minor injury and/or irritation.

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Growth Medium Composition:** soybean casein digest, manufactured by B-D, pH indicator, and proprietary formulation. Non-hazardous.

**Biological Information:** bacterial spores obtained from traceable source. Naturally occurring. Non-pathogenic.

**Other:** Paper product with printed lettering and graphics

### **4. FIRST AID MEASURES**

**Skin Contact:** under normal circumstances contact with the device should not result in skin irritation. If liquid media comes in contact with skin, wash with soap and water. If the media ampoule is crushed outside of the plastic body, glass splinters may enter the hands or fingers. Remove splinters with tweezers and apply disinfectant to cut areas.

**Eye Contact:** if liquid media enters the eye, flush with water. If the media ampoule is crushed outside of the plastic body, glass splinters may enter the eye. Do not rub eye. Flush with water. If glass cannot be dislodged with water, medical assistance may be required.

**Inhalation:** not a likely route of exposure.

**Ingestion:** not a likely route of exposure.

NOTE: there are no known health hazards from exposure to the microorganisms contained in this product.

*Safety Data Sheet*

**5. FIRE FIGHTING MEASURES**

N/A

**6. ACCIDENTAL RELEASE MEASURES**

Clean and disinfect area of spill.

**7. HANDLING AND STORAGE**

Store at room temperature. Keep away from sterilants as they may injure the microorganisms contained in the product, reducing its functionality.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Exposure Limits:** N/A

**Specific Engineering Controls:** N/A

**Personal Protective Equipment:** Appropriate gloves and safety glasses should be worn when removing this product from the sterilizer, activating (crushing media tube), or cleaning spilled media / broken glass.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Odor and Appearance:** the EZTest Biological Indicator Test Pack consists of an inoculated paper strip and glass media ampoule contained in a sealed plastic body. The device contains no hazardous ingredients or pathogenic organisms.

**Specific Gravity:** N/A

**Evaporation Rate:** N/A

**pH:** N/A

**Vapor Density:** N/A

**Boiling Point:** N/A

**Coefficient of Water/Oil Distribution:** N/A

**Odor Threshold:** N/A

**Vapor Pressure:** N/A

**Freezing Point:** N/A

**Solubility in Water:** N/A

**10. STABILITY AND REACTIVITY**

**Chemically Stable:** Yes

**Incompatibility:** N/A

**Reactivity:** N/A

**Hazardous Decomposition Products:** N/A

**11. TOXICOLOGICAL INFORMATION**

**Affects of Acute Exposure:** N/A

**Affects of Chronic Exposure:** N/A

**Irritancy of Product:** N/A

**Skin Sensitization:** N/A

**Respiratory Sensitization:** N/A

**Carcinogenicity:** N/A

**Reproductive Toxicity:** N/A



## *Safety Data Sheet*

**Teratogenicity:** N/A  
**Embryotoxicity:** N/A  
**Mutagenicity:** N/A  
**Synergistic Products:** N/A

### **12. ECOLOGICAL INFORMATION**

This product contains no known ecological hazards. The microorganisms it contains are non-pathogenic and found in nature. The chemicals it contains are non-toxic biological nutrients and a non-toxic pH sensitive dye.

### **13. DISPOSAL**

Autoclave at 121°C for 30 minutes prior to disposal, or incinerate.

### **14. TRANSPORT**

No special shipping precautions.

### **15. REGULATORY INFORMATION**

N/A

### **16. OTHER INFORMATION**

See instructions for use delivered in each box of product.

#### **Prepared By:**

Mesa Laboratories, Inc.  
10 Evergreen Drive  
Bozeman, MT 59715 USA  
(303) 987-8000

The information contained in this Material Safety Data Sheet is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Mesa Labs. The information is not all inclusive and shall be used only as a guide. Mesa Labs assumes no legal responsibility for use or reliance upon these data.