

PRODUCT CHANGE NOTIFICATION

September 19, 2019

Notification ID: CN-190901

Notification Type: Product Packaging Change

Dear Customer,

This letter is to inform you of a packaging change for Biological Indicators which are packaged in glassine from Mesa's 625 Zoot Way Bozeman, MT Manufacturing Facility. The change impacts the products listed in Attachment 1.

We are making this change because our Supplier has notified us that the adhesive historically utilized on the glassine has been discontinued. The glue has been discontinued because certain ingredients used to manufacture it are no longer commercially available.

We anticipate transitioning to glassine utilizing the new adhesive in October 2019, depending on customer take rate of existing inventory. Currently, testing is underway and once complete, a summary memo will be sent out.

We apologize for any inconveniences regarding the impending change.

As always, if you have any questions regarding this change, please contact your Mesa Laboratories Representative.



Robert Bradley, Sr. Director – Bozeman Operations

19 Sep 2019

Date



Nicole Dewald, Manager – QA

19 Sep 2019

Date

PRODUCT CHANGE NOTIFICATION

Attachment 1

Effected Product Part Numbers:

A2X10/6G
A1X25/6G
DS6R/6G
RG/100
S2X10/6G
S1X25/6G
SGMS/3
SGMS/5
SGMS/6
SGMR/6
SGMR/7
SGMG/6
SGMSU/6
77-01-1-4100
77-01-1-6100
77-01-1-6500
77-01-1-1000
77-01-3-4100
77-01-3-5100
77-01-3-6100
77-01-3-1000
77-01-5-5100T
77-01-5-1000T
77-01-5-1000C
77-09-PL-3-6-15
PCD 2.5
PCD 3.5
PCD 4.5
PCD 5.5
PCD 6.5
PCD 7.5